

March 23, 2018

John Muramoto
General Partner
Hygeia
7485 S. Eastern Avenue, #105-244
Las Vegas, NV 89123



Dear John,

I am pleased to inform you that Green Seal has evaluated the Hygeia application for a private label branded product from Franke Foodservice Solutions and determined that this product complies with the requirements of the Green Seal Standards for Cleaning Products for Household Use (GS-8) and Industrial & Institutional Use (GS-37), and the Green Seal Standards for Specialty Cleaning Products for Household Use (GS-52) and Industrial & Institutional Use (GS-53).

| Product Name | Product Code | Package Size |
|---------------|----------------------------|--------------------|
| Aqueous Ozone | Generated by Hygeia SB-100 | 14 oz spray bottle |

Accordingly, Hygeia is authorized to use the Green Seal Mark in association with this product, provided that no changes are made in the way the product is manufactured or represented and the original product remains certified by Franke Foodservice Solutions

This certification remains valid until such time your product is no longer subject to a valid certification agreement, or Green Seal has reason to believe, based on the results of our ongoing monitoring program or otherwise, that your products no longer comply with GS-8, GS-37, GS-52, and GS-53.

As a reminder, any use of the Green Seal Mark or reference to Green Seal needs to be approved by Green Seal and conform to the Rules Governing the Use of the Green Seal Certification Mark. Please forward all new or revised packaging or marketing materials to certification@greenseal.org for approval prior to production.

Green Seal offers a variety of options to help you get the most benefit from your Green Seal certification. A Marketing Tools Portal with a wide array of graphics and communications tools for you and your customers can be accessed through greenseal.org. Our Marketing & Communications staff offers support and promotion through collaborative outreach and various media channels. Please contact Kat Danaher at kdanaher@greenseal.org for more information and access to the Portal.

GREEN SEAL, INC.
1001 Connecticut Ave NW
Suite 827
Washington, DC 20036-5525
USA


phone: 202.872.6400
fax: 202.872.4324
www.greenseal.org

THE ORIGINAL GREEN SEAL OF APPROVAL SINCE 1989

We also encourage you to utilize the tailored marketing support and strategic direction provided by our Client Services Program to help drive demand and maximize the value of your certification. Contact Mark Stanland at mstanland@greenseal.org for details on this program.

Congratulations on this achievement for Hygeia! We look forward to continuing this relationship.

Sincerely,



Mary Swanson
Vice President of Certification

THE ORIGINAL GREEN SEAL OF APPROVAL SINCE 1989

GREEN SEAL, INC.
1001 Connecticut Ave NW
Suite 827
Washington, DC 20036-5525
USA

phone: 202.872.6400
fax: 202.872.4324
www.greenseal.org



Green Seal,[®] Inc. Proudly Presents Certification to Hygeia

Green Seal, Inc. certifies that the following product complies with the Green Seal Standard for Cleaning Products for Household Use (GS-8) and the Green Seal Standard for Specialty Cleaning Products for Household Use (GS-52) and is licensed to use the Green Seal Certification Mark:

Aqueous Ozone

(specific package sizes listed in certification letter)

Certified this 23rd day of March, 2018.

A handwritten signature in black ink, appearing to read "Doug Gatlin".

Doug Gatlin, CEO



Green Seal,[®] Inc. Proudly Presents Certification to Hygeia

Green Seal, Inc. certifies that the following product complies with the Green Seal Standard for Cleaning Products for Industrial & Institutional Use (GS-37) and the Green Seal Standard for Specialty Cleaning Products for Industrial and Institutional Use (GS-53) and is licensed to use the Green Seal Certification Mark:

Aqueous Ozone

(specific package sizes listed in certification letter)

Certified this 23rd day of March, 2018.

A handwritten signature in black ink, appearing to read "Doug Gatlin".

Doug Gatlin, CEO